Brain Research, 635 (1994) 357–359
© 1994 Elsevier Science B.V. All rights reserved 0006-8993/94/$07.00

Author Index

Akiyama, H., Tooyama, I., Kondo, H., Ikeda, K., Kimura, H., McGeer, E.G. and McGeer, P.L.
Early response of brain resident microglia to kainic acid-induced hippocampal lesions (635) 257
Akiyama, H., see Yasuhara, O. (635) 269
Aoki, C., see Huneycutt, B.S. (635) 81
Armati, P.J., see Constable, A.L. (635) 75

Bartido, S.M., see Huneycutt, B.S. (635) 81
Bartko, J.J., see Blin, J. (635) 196
Bartlett, K., see Eyre, J.A. (635) 349
Barwick, V.S., Wooten, M.H., Bradfield, J.F. and Myers, R.D.
Fever of unknown origin: due to *C. albicans* or other fungi acting on the hypothalamus? (635) 1
Baumgartner, A., Dubeyko, M., Campos-Barros, A., Eravci, M. and Meinhold, H.
Subchronic administration of fluoxetine to rats affects triiodothyronine production and deiodination in regions of the cortex and in the limbic forebrain (635) 68
Berkenbosch, A., see Teppema, L.J. (635) 353
Biggs, C.S., see Whitton, P.S. (635) 312
Bigl, V., see Härtig, W. (635) 307
Blin, J., Ray, C.A., Piercey, M.F., Bartko, J.J., Mouradian, M.M. and Chase, T.N.
Comparison of cholinergic drug effects on regional brain glucose consumption in rats and humans by means of autoradiography and positron emission tomography (635) 196
Bodnar, R.J., see Ruegg, H. (635) 203
Boer, G.J., see Van Veldhuizen, M.J.A. (635) 238
Bradfield, J.F., see Barwick, V.S. (635) 1
Brauer, K., see Härtig, W. (635) 307
Brückner, G., see Härtig, W. (635) 307
Bugnon, C., see Griffond, B. (635) 179

Campos-Barros, A., see Baumgartner, A. (635) 68
Chase, T.N., see Blin, J. (635) 196
Chen, X., see Snyder, R.E. (635) 49
Cheng, C.A., see Geoghegan, J.G. (635) 118
Connor, J.R., see Dickinson, T.K. (635) 169
Constable, A.L., Armati, P.J., Toyka, K.V. and Hartung, H.-P.
Production of prostanoids by Lewis rat Schwann cells in vitro (635) 75

Deray, A., see Griffond, B. (635) 179
Desban, M., see Gauchy, C. (635) 249
Diaz, M.R., see Santana, C. (635) 96
Dickinson, T.K. and Connor, J.R.
Histological analysis of selected brain regions of hypotransferrinemic mice (635) 169
Dubeyko, M., see Baumgartner, A. (635) 68
Dunn, S.M.J., see Thomas, M.M. (635) 9

Emson, P.C., see Heppelmann, B. (635) 293
Entwistle, M.L., see Tatro, J.B. (635) 148
Eravci, M., see Baumgartner, A. (635) 68
Evans, D.A.P., see Van Leeuwen, F.W. (635) 328
Eyre, J.A., Stuart, A.G., Forsyth, R.J., Heaviside, D. and Bartlett, K.
Glucose export from the brain in man: evidence for a role for astrocytic glycogen as a reservoir of glucose for neural metabolism (635) 349

Feenstra, M.G.P., see Van Veldhuizen, M.J.A. (635) 238
Fellmann, D., see Griffond, B. (635) 179
Fincher, A.S., see Frye, G.D. (635) 283
Forsyth, R.J., see Eyre, J.A. (635) 349
Fowler, L.J., see Whitton, P.S. (635) 312
Frye, G.D., Fincher, A.S., Grover, C.A. and Griffith, W.H.
Interaction of ethanol and allosteric modulators with $GABA_A$-activated currents in adult medial septum/diagonal band neurons (635) 283
Fuchs, P.A., see Oyama, Y. (635) 125
Furukawa, T., see Iwata, K. (635) 211

Galea, L.A.M., Kavaliers, M., Ossenkopp, K.-P., Innes, D. and Hargreaves, E.L.
Sexually dimorphic spatial learning varies seasonally in two populations of deer mice (635) 18
Gauchy, C., Desban, M., Glowinski, J. and Kemel, M.L.
NMDA regulation of dopamine release from proximal and distal dendrites in the cat substantia nigra (635) 249
Geoghegan, J.G., Lawson, D.C., Cheng, C.A. and Pappas, T.N.
Intracerebroventricular neuropeptide Y increases gastric acid secretion by decreasing tonic adrenergic inhibition of acid in dogs (635) 118
Glowinski, J., see Gauchy, C. (635) 249
Goto, I., see Ohyagi, Y. (635) 323
Griffith, W.H., see Frye, G.D. (635) 283
Griffond, B., Deray, A., Jacquemard, C., Fellmann, D. and Bugnon, C.
Prolactin immunoreactive neurons of the rat lateral hypothalamus: immunocytochemical and ultrastructural studies (635) 179
Grover, C.A., see Frye, G.D. (635) 283

Haddad, G.G., see Xia, Y. (635) 339
Hahn, B., see Ruegg, H. (635) 203
Hargreaves, E.L., see Galea, L.A.M. (635) 18
Härtig, W., Brauer, K., Bigl, V. and Brückner, G.
Chondroitin sulfate proteoglycan-immunoreactivity of lectin-labeled perineuronal nets around parvalbumin-containing neurons (635) 307
Hartung, H.-P., see Constable, A.L. (635) 75
Hartvig, P., see Tsukada, H. (635) 59
Hayashi, A., see Oyama, Y. (635) 113
Heaviside, D., see Eyre, J.A. (635) 349
Hellekant, G., see Ninomiya, Y. (635) 335
Heppelmann, B., Señaris, R. and Emson, P.C.
Combination of alkaline phosphatase in situ hybridization with immunohistochemistry: colocalization of calretinin-mRNA with calbindin and tyrosine hydroxylase immunoreactivity in rat substantia nigra neurons (635) 293
Hernandez, T.D. and Holling, L.C.
Disruption of behavioral recovery by the anti-convulsant phenobarbital (635) 300
Holling, L.C., see Hernandez, T.D. (635) 300
Huang, A., see Huneycutt, B.S. (635) 81
Huneycutt, B.S., Plakhov, I.V., Shusterman, Z., Bartido, S.M., Huang, A., Reiss, C.S. and Aoki, C.
Distribution of vesicular stomatitis virus proteins in the brains of BALB/c mice following intranasal inoculation: an immunohistochemical analysis (635) 81

Iadecola, C., see Underwood, M.D. (635) 217
Ikeda, K., see Akiyama, H. (635) 257
Innes, D., see Galea, L.A.M. (635) 18
Ishikawa, K., see Katayama, Y. (635) 331
Iwata, K., Tsuboi, Y., Yagi, J., Toda, K., Furukawa, T., Yoshimoto, A. and Sumino, R.
Effect of interstimulus interval on perceived sensation and intradental nerve activity during thermal tooth stimulation in man (635) 211

Jacquemard, C., see Griffond, B. (635) 179

Katayama, N., see Oyama, Y. (635) 125
Katayama, Y., Kawamata, T., Maeda, T., Ishikawa, K. and Tsubokawa, T.
Inhibition of the early phase of free fatty acid liberation during cerebral ischemia by excitatory amino acid antagonist administered by microdialysis (635) 331
Kavaliers, M., see Galea, L.A.M. (635) 18
Kawamata, T., see Katayama, Y. (635) 331
Kemel, M.L., see Gauchy, C. (635) 249
Kenan-Vaknin, G. and Teyler, T.J.
Laminar pattern of synaptic activity in rat primary visual cortex: comparison of in vivo and in vitro studies employing the current source density analysis (635) 37

Kimura, H., see Akiyama, H. (635) 257
Koch, J.E., see Ruegg, H. (635) 203
Kocsis, J.D., see Utzschneider, D.A. (635) 231
Kondo, H., see Akiyama, H. (635) 257
Kozicz, T. and Lázár, G.
The origin of tectal NPY immunopositive fibers in the frog (635) 345

Lakes-Harlan, R., see Lins, F. (635) 103
Långström, B., see Tsukada, H. (635) 59
Lawson, D.C., see Geoghegan, J.G. (635) 118
Lázár, G., see Kozicz, T. (635) 345
Lindner, K.-J., see Tsukada, H. (635) 59
Lins, F. and Lakes-Harlan, R.
Interneurons with inhibitory effects on stridulation in grasshoppers exhibit GABA-like immunoreactivity (635) 103

Maeda, T., see Katayama, Y. (635) 331
Maekawa, K., see Oyama, Y. (635) 113
Maione, S., see Whitton, P.S. (635) 312
Martin, L., see Santana, C. (635) 96
McElligott, J.G., see Parry, T.J. (635) 27
McGeer, E.G., see Akiyama, H. (635) 257
McGeer, E.G., see Yasuhara, O. (635) 269
McGeer, P.L., see Akiyama, H. (635) 257
McGeer, P.L., see Yasuhara, O. (635) 269
Meinhold, H., see Baumgartner, A. (635) 68
Meloen, R., see Van Leeuwen, F.W. (635) 328
Mouradian, M.M., see Blin, J. (635) 196
Myers, R.D., see Barwick, V.S. (635) 1

Ninomiya, Y. and Hellekant, G.
Enhancing effects of saccharin on gustatory responses to D-phenylalanine in monkey single chorda tympani fibers (635) 335
Noda, K., see Oyama, Y. (635) 125

Ohyagi, Y., Yamada, T. and Goto, I.
Hemoglobin as a novel protein developmentally regulated in neurons (635) 323
Olievier, C.N., see Teppema, L.J. (635) 353
Ossenkopp, K.-P., see Galea, L.A.M. (635) 18
Oyama, Y., Fuchs, P.A., Katayama, N. and Noda, K.
Myricetin and quercetin, the flavonoid constituents of *Ginkgo biloba* extract, greatly reduce oxidative metabolism in both resting and Ca^{2+}-loaded brain neurons (635) 125
Oyama, Y., Hayashi, A., Ueha, T. and Maekawa, K.
Characterization of 2′,7′-dichlorofluorescin fluorescence in dissociated mammalian brain neurons: estimation on intracellular content of hydrogen peroxide (635) 113

Pappas, T.N., see Geoghegan, J.G. (635) 118
Parry, T.J. and McElligott, J.G.
Kainic acid administration in the fastigial nucleus produces differential cardiovascular effects in awake and anesthetized rats (635) 27
Piercey, M.F., see Blin, J. (635) 196
Plakhov, I.V., see Huneycutt, B.S. (635) 81
Puizillout, J.J., see Yousfi-Malki, M. (635) 317
Puligandla, P.S., see Thomas, M.M. (635) 9

Racine, R.J., see Spiller, A.E. (635) 130
Racine, R.J., see Spiller, A.E. (635) 139
Rand, M.N., see Utzschneider, D.A. (635) 231
Ray, C.A., see Blin, J. (635) 196
Reis, D.J., see Underwood, M.D. (635) 217
Reiss, C.S., see Huneycutt, B.S. (635) 81
Ruegg, H., Hahn, B., Koch, J.E. and Bodnar, R.J.
Differential modulation of angiotensin II and hypertonic saline-induced drinking by opioid receptor subtype antagonists in rats (635) 203

Santana, C., Martin, L. and Diaz, M.R.
Tyrosine ingestion during rat pregnancy alters postnatal development of dopaminergic neurons in the offspring (635) 96
Schipper, H.M., Yang, G. and Wang, E.
Expression of terminin, a senescence-related cytoplasmic protein, in the aging rat brain (635) 224
Schubert, K., see Shaikh, M.B. (635) 187
Semba, K., see Shen, H. (635) 159
Señaris, R., see Heppelmann, B. (635) 293
Shaikh, M.B., Schubert, K. and Siegel, A.
Basal amygdaloid facilitation of midbrain periaqueductal gray elicited defensive rage behavior in the cat is mediated through NMDA receptors (635) 187
Shen, H. and Semba, K.
A direct retinal projection to the dorsal raphe nucleus in the rat (635) 159
Shusterman, Z., see Huneycutt, B.S. (635) 81
Siegel, A., see Shaikh, M.B. (635) 187
Smith, R.S., see Snyder, R.E. (635) 49
Snyder, R.E., Smith, R.S. and Chen, X.
Reversal of rapidly transported protein and organelles at an axonal lesion (635) 49
Sonnemans, M.A.F., see Van Leeuwen, F.W. (635) 328
Spiller, A.E. and Racine, R.J.
The effect of kindling beyond the 'stage 5' criterion on paired-pulse depression and hilar cell counts in the dentate gyrus (635) 139
Spiller, A.E. and Racine, R.J.
Transfer kindling between sites in the entorhinal cortex-perforant path-dentate gyrus system (635) 130
Stuart, A.G., see Eyre, J.A. (635) 349
Sumino, R., see Iwata, K. (635) 211

Tatro, J.B. and Entwistle, M.L.
Heterogeneity of brain melanocortin receptors suggested by differential ligand binding in situ (635) 148
Teppema, L.J., Berkenbosch, A., Veening, J.G. and Olievier, C.N.
Hypercapnia induces c-*fos* expression in neurons of retrotrapezoid nucleus in cats (635) 353
Teyler, T.J., see Kenan-Vaknin, G. (635) 37
Thomas, M.M., Puligandla, P.S. and Dunn, S.M.J.
Effects of calcium channel blockers on the kinetics of voltage-dependent changes in synaptosomal calcium concentrations (635) 9
Toda, K., see Iwata, K. (635) 211
Tooyama, I., see Akiyama, H. (635) 257
Toyka, K.V., see Constable, A.L. (635) 75
Tsuboi, Y., see Iwata, K. (635) 211
Tsubokawa, T., see Katayama, Y. (635) 331
Tsukada, H., Lindner, K.-J., Hartvig, P. and Långström, B.
Effect of 6R-L-erythro-5,6,7,8-tetrahydrobiopterin on the extracellular levels of dopamine and serotonin in the rat striatum: a microdialysis study with tyrosine or tryptophan infusion (635) 59

Ueha, T., see Oyama, Y. (635) 113
Underwood, M.D., Iadecola, C. and Reis, D.J.
Lesions of the rostral ventrolateral medulla reduce the cerebrovascular response to hypoxia (635) 217
Utzschneider, D.A., Rand, M.N., Waxman, S.G. and Kocsis, J.D.
Nuclear and cytoplasmic Ca^{2+} signals in developing rat dorsal root ganglion neurons studied in excised tissue (635) 231

Van Leeuwen, F.W., Evans, D.A.P., Meloen, R. and Sonnemans, M.A.F.
Differential neurophysin immunoreactivities in solitary magnocellular neurons of the homozygous Brattleboro rat indicate an altered neurophysin moiety (635) 328
Van Veldhuizen, M.J.A., Feenstra, M.G.P. and Boer, G.J.
Regional differences in the in vivo regulation of the extracellular levels of noradrenaline and its metabolites in rat brain (635) 238
Veening, J.G., see Teppema, L.J. (635) 353

Wang, E., see Schipper, H.M. (635) 224
Waxman, S.G., see Utzschneider, D.A. (635) 231
Whitton, P.S., Maione, S., Biggs, C.S. and Fowler, L.J.
N-Methyl-D-aspartate receptors modulate extracellular dopamine concentration and metabolism in rat hippocampus and striatum in vivo (635) 312
Wooten, M.H., see Barwick, V.S. (635) 1

Xia, Y. and Haddad, G.G.
Voltage-sensitive Na^+ channels increase in number in newborn rat brain after in utero hypoxia (635) 339

Yagi, J., see Iwata, K. (635) 211
Yamada, T., see Ohyagi, Y. (635) 323
Yang, G., see Schipper, H.M. (635) 224
Yasuhara, O., Akiyama, H., McGeer, E.G. and McGeer, P.L.
Immunohistochemical localization of hyaluronic acid in rat and human brain (635) 269
Yoshimoto, A., see Iwata, K. (635) 211
Yousfi-Malki, M. and Puizillout, J.J.
Induction of Fos-like protein in neurons of the medulla oblongata after electrical stimulation of the vagus nerve in anesthetized rabbit (635) 317